



S.E.A.  
**OLYMPUS**  
Marketing, Inc.

www.olympus.com.ph

**Poly Klear**  
FIBERGLASS + RESIN

## MATERIAL SAFETY DATA SHEET

POLYKLEAR COBALT CLEAR SPECIAL 6%

### 1. IDENTIFICATION

CHEMICALS NAME: POLYKLEAR COBALT CLEAR SPECIAL 6%

OTHER NAME : MIXTURE OF COBALT AND SODIUM CARBOXYLATE IN  
HYDROCARON SOLVENT

RECOMMENDED USE: CATALYST.

RESTRICTION ON USE :-

DISTRIBUTOR:

SEA Olympus Marketing, Inc.  
SEA Olympus Marketing bldg., A.C. Cortes Avenue,  
Mandaue City, Cebu  
Philippines 6014

CONTACT NUMBER:

(032) 346-7137

### 2. HAZARD(S) IDENTIFICATION

CHEMICALS HAZARD CLASS : FLAMMABLE LIQUID CATEGORY 4, ACUTE  
TOXICITY: ORAL CATEGORY 4, SKIN CORROSION/IRRITATION CATEGORY 3,  
SERIOUS EYE DAMAGE/EYE IRRITATION CATEGORY 2B

LABEL

CONTENT :

SYMBOL:



SIGNAL WORD:

WARNING HAZARD

STATEMENT:

COMBUSTIBLE LIQUID

HARMFUL IF

SWALLOWED CAUSE

#### LUZON:

REGIONAL OFFICE  
TAGUIG  
1st Avenue, Sta. Maria Industrial Subd,  
Bagumbayan, Taguig City  
Tel.#: (02) 506-8519 ; 837-0710  
837-0708

#### VISAYAS:

HEADQUARTERS  
CEBU  
2F SEA Olympus Building, AC Cortes Ave.  
Trunkline #: (032) 421-7777  
Tel.#: (032) 346-7137 ; 421-7800 to 06  
421-7817 to 18 ; 421-7823  
Fax #: (032) 421-7789 ; 346-1817

#### MINDANAO:

REGIONAL OFFICE  
DAVAO  
Unit A16 J.King Warehouse Complex  
Km.3 Maa Road, Davao City 8000  
Telefax #: (082) 244-1206 ; 302-2711

✉ inquiry@olympus.com.ph



S.E.A.  
**OLYMPUS**  
Marketing, Inc.

www.olympus.com.ph

**Poly Klear**  
FIBERGLASS + RESIN

**Poly Klear**  
FIBERGLASS + RESIN

MILD SKIN IRRITATION  
CAUSE EYE IRRITATION

**PRECAUTIONARY STATEMENT:**

STORE WELL-VENTILATED PLACE.  
KEEP COOL AVOID FIRE SOURCE  
WEAR APPROPRIATE PROTECTION EQUIPMENT

**OTHER HAZARDS :**

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**CHEMICAL PROPERTIES :**

HAZARDOUS INGREDIENTS	CAS No.	w/w % RANGE
COBALT bis(2-ETHYLHEXANOATE)	136-52-7	6 MAX.
SODIUM 2-ETHYLHEXANOATE	19766-89-3	22 ~ 33
NORMAL PARAFFIN	64771-72-8	63 ~ 74

**4. FIRST-AID MEASURES**

**INHALATION**

IMMEDIATELY REMOVE TO FRESH AIR. ADMINISTERED ARTIFICIAL RESPIRATION IF BREATHING STOP. KEEP AT REST. CALL FOR PROMPT MEDICAL ATTENTION.

**SKIN CONTACT**

FLASH PROMPTLY WITH SOAP AND LARGE AMOUNT OF WATER

**EYE CONTACT**

IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IMMEDIATELY.  
IF SWALLOWED, **DO NOT** INDUCE VOMITING. GET

**INGESTION**

PROMPT MEDICAL ATTENTION.

**LUZON:**

REGIONAL OFFICE  
TAGUIG  
1st Avenue, Sta. Maria Industrial Subd,  
Bagumbayan, Taguig City  
Tel.#: (02) 506-8519 ; 837-0710  
837-0708

**VISAYAS:**

HEADQUARTERS  
CEBU  
2F SEA Olympus Building, AC Cortes Ave.  
Trunkline #: (032) 421-7777  
Tel.#: (032) 346-7137 ; 421-7800 to 06  
421-7817 to 18 ; 421-7823  
Fax #: (032) 421-7789 ; 346-1817

**MINDANAO:**

REGIONAL OFFICE  
DAVAO  
Unit A16 J.King Warehouse Complex  
Km.3 Maa Road, Davao City 8000  
Telefax #: (082) 244-1206 ; 302-2711

✉ inquiry@olympus.com.ph



S.E.A.

**OLYMPUS**  
Marketing, Inc.

www.olympus.com.ph

**Poly Klear®**  
FIBERGLASS + RESIN

## 5. FIRE FIGHTING MEASURES

SUITABLE FIRE EXTINGUISHING MEDIA USE FOAM, DRY CHEMICAL, OR WATER SPRAY TO EXTINGUISH FIRE

SPECIFIC HAZARDS THAT MAY BE ENCOUNTERED BURNING MAY PRODUCE CARBON MONOXIDE, CARBON DIOXIDE, COBALT OXIDE FUME. AVOID BREATHING FUMES FROM FIRE EXPOSED MATERIAL  
SPECIFIC FIRE-FIGHTING KEEP CONTAINERS COOL WITH WATER SPRAY

SPECIFIC EQUIPMENT FOR PROTECTION WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT

## 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS REMOVAL OF IGNITION SOURCES-NO SMOKING. IN CASE OF LARGE MOUNT LEAKING: WEAR PROTECTION CLOTHING AND RESPIRATORY EQUIPMENT.

ENVIRONMENTAL PRECAUTIONS REMOVAL OF IGNITION SOURCES. STOP THE LEAK, IF POSSIBLE. PREVENT WATERWAY AND LAND CONTAMINATION. IF WATERWAY AND LAND CONTAMINATION OCCURES, CONTACT APPROPRIATE AUTHORITIES

METHODS FOR CLEANING UP SPILL: COVER WITH INERT ABSORBENT MATERIAL, SAND OR EARTH, REMOVE TO DISPOSAL CONTAINER. OBSERVE ALL RELEVANT FEDERAL, STATE, & LOCAL LAWS.

LEAK: RECOVER BY PUMPING (USING AN EXPLOSION PROOF PUMP)

### LUZON:

REGIONAL OFFICE  
TAGUIG

1st Avenue, Sta. Maria Industrial Subd,  
Bagumbayan, Taguig City  
Tel.#: (02) 506-8519 ; 837-0710  
837-0708

### VISAYAS:

HEADQUARTERS  
CEBU

2F SEA Olympus Building, AC Cortes Ave.  
Trunkline #: (032) 421-7777  
Tel.#: (032) 346-7137 ; 421-7800 to 06  
421-7817 to 18 ; 421-7823  
Fax #: (032) 421-7789 ; 346-1817

### MINDANAO:

REGIONAL OFFICE  
DAVAO

Unit A16 J.King Warehouse Complex  
Km.3 Maa Road, Davao City 8000  
Telefax #: (082) 244-1206 ; 302-2711

✉ inquiry@olympus.com.ph



S.E.A.

**OLYMPUS**  
Marketing, Inc.

www.olympus.com.ph

**Poly Klear**  
FIBERGLASS + RESIN

## 7. HANDLING AND STORAGE

**HANDLING** KEEP AWAY FROM HEAT AND FLAME- NO SMOKING.

**STORAGE** STORE IN WELL-VENTILATED PLACE, KEEP COOL. SEAL CONTAINER TIGHTLY.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**ENGINEERING CONTROLS** VENTILATION SHOULD BE PROVIDED TO CONTROL WORKER EXPOSURE AND PREVENT HEALTH RISK

CONTROL PARAMETERS		
TWA	STEL	CEILING

**BIOLOGICAL STANDARDS:**

### PERSONAL PROTECTIVE EQUIPMENT

**RESPIRATORY PROTECTION** LOCAL EXHAUST & MECHANICAL VENTILATION RECOMMENDED. IF EXPOSURE EXCEEDS TLV, USE APPROPRIATE NIOSH/MSHA APPROVED RESPIRATORY PROTECTIVE EQUIPMENT.

**HAND PROTECTION** WEAR CHEMICAL/SOLVENT RESISTANT GLOVES

**EYES/FACE PROTECTION** CHEMICAL GOGGLES/FULL LENGTH FACE SHIELD

**SKIN AND BODY PROTECTION** WEAR LONG SLEEVES WORK CLOTHING, CHEMICAL/SOLVENT RESISTANT GLOVES AND CHEMICAL RESISTANT SHOES

**HYGIENIC MEASURES :** DO NOT WEAR CONTACT LENS. WASH HANDS THOROUGHLY WITH SOAP AND WATER AFTER WORK. WASH CONTAMINATED CLOTHING BEFORE REUSE

### LUZON:

REGIONAL OFFICE  
TAGUIG  
1st Avenue, Sta. Maria Industrial Subd,  
Bagumbayan, Taguig City  
Tel.#: (02) 506-8519 ; 837-0710  
837-0708

### VISAYAS:

HEADQUARTERS  
CEBU  
2F SEA Olympus Building, AC Cortes Ave.  
Trunkline #: (032) 421-7777  
Tel.#: (032) 346-7137 ; 421-7800 to 06  
421-7817 to 18 ; 421-7823  
Fax #: (032) 421-7789 ; 346-1817

### MINDANAO:

REGIONAL OFFICE  
DAVAO  
Unit A16 J.King Warehouse Complex  
Km.3 Maa Road, Davao City 8000  
Telefax #: (082) 244-1206 ; 302-2711

✉ inquiry@olympus.com.ph





## 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE : INTENSE BLUE LIQUID	ODOR : -
ODOUR THRESHOLD : -	MELTING POINT : -
pH : -	BOILING POINT/BOILING RANGE : >150
FLAMMABILITY (SOLID, GAS) -	FLASH POINT: >72 TEST METHOD : CLOSED CUP
DECOMPOSITION TEMPERATURE : -	
AUTO-IGNITION TEMPERATURE : -	EXPOSION LIMITS : -
VAPOUR PRESSURE : mmHg	VAPOR DENSITY : >1
RELATIVE DENSITY : Sp.Gr. 0.810-0.920	SOLUBILITY : NOT SOLUBLE IN WATER
PARTITION COEFFICIENT: n-OCTANOL / WATER (log Kow) -	EVAPORATION RATE : -

## 10. STABILITY AND REACTIVITY

### STABILITY

THIS MATERIAL IS CHEMICALLY STABLE UNDER NORMAL AND ANTICIPATED STORAGE AND HANDLING CONDITIONS

### POSSIBLE HAZARDOUS REACTION

CAN REACT WITH PEROXIDES AND OTHER OXIDIZING MATERIALS

### CONDITIONS TO AVOID

STATIC DISCHARGE, SPARK, HEAT AND FIRE SOURCE

### MATERIALS TO AVOID

PEROXIDES AND OTHER OXIDIZING MATERIALS

### HAZARDOUS DECOMPOSITION PRODUCTS

1. BURNING MAY PRODUCE CARBON MONOXIDE, CARBON DIOXIDE, COBALT OXIDE, COPPER OXIDE, SODIUM OXIDE FUME.
2. UNDER ACID CONDITION, COBALT OCTOATE DECOMPOSE INTO OCTANOIC ACID.

### LUZON:

REGIONAL OFFICE  
TAGUIG  
1st Avenue, Sta. Maria Industrial Subd,  
Bagumbayan, Taguig City  
Tel. #: (02) 506-8519 ; 837-0710  
837-0708

### VISAYAS:

HEADQUARTERS  
CEBU  
2F SEA Olympus Building, AC Cortes Ave.  
Trunkline #: (032) 421-7777  
Tel. #: (032) 346-7137 ; 421-7800 to 06  
421-7817 to 18 ; 421-7823  
Fax #: (032) 421-7789 ; 346-1817

### MINDANAO:

REGIONAL OFFICE  
DAVAO  
Unit A16 J. King Warehouse Complex  
Km. 3 Maa Road, Davao City 8000  
Telefax #: (082) 244-1206 ; 302-2711



S.E.A.

**OLYMPUS**  
Marketing, Inc.

www.olympus.com.ph

**Poly Klear**  
FIBERGLASS + RESIN

## 11. TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE: SKIN, EYE, INHALATION, INGESTION

INHALATION MAY CAUSE RESPIRATORY TRACT IRRITATION,  
HEADACHE, DIZZY

SKIN CAUSE MILD SKIN IRRITATION

EYE CAUSE EYE IRRITATION

INGESTION GASTROINTESTINAL IRRITATION, VOMITING &  
DEPRESSION. MAY ENTER LUNG AND CAUSE DAMAGE

ACUTE TOXICITY:

COBALT 2-ETHYLHEXANOATE, Co 12%

LD50: >1.55 g/kg (MALE RAT, ORAL) ; >1.22g/kg (FEMALE RAT, ORAL)

LD50: >10.0 mg/L(Rat, INHALATION) SINGLE DOSE 10.0 mg/L NO MORTALITIES.

LD50: >5g/kg (RABBIT, DERMAL)

SODIUM 2-ETHYLHEXANOATE

LD50: NOT AVAILABLE

NORMAL PARAFFIN

LD50: >5,000 mg/kg (RAT,ORAL)

MUTAGENICITY : NOT AVAILABLE

CARCINOGENICITY : NOT AVAILABLE

LONG TERM  
TOXICITY

1. PROLONGED CONTACT MAY CAUSE SKIN SENSITISATION
2. MAY CAUSE DAMAGE TO BLOOD, KIDNEYS, THE NERVOUS SYSTEM, PERIPHERAL NERVOUS SYSTEM

## 12. ECOLOGICAL INFORMATION

ECOTOXICITY :

COBALT 2-ETHYLHEXANOATE, Co 12%

LC50(FISH): GREATER THAN 100% OF TESTED CONCENTRATION (100% OF A  
12% COBALT OCTOATE SOLUTION)

EC50(INVERTEBRATES):

### LUZON:

REGIONAL OFFICE  
TAGUIG

1st Avenue, Sta. Maria Industrial Subd,  
Bagumbayan, Taguig City  
Tel.#: (02) 506-8519 ; 837-0710  
837-0708

### VISAYAS:

HEADQUARTERS  
CEBU

2F SEA Olympus Building, AC Cortes Ave.  
Trunkline #: (032) 421-7777  
Tel.#: (032) 346-7137 ; 421-7800 to 06  
421-7817 to 18 ; 421-7823  
Fax #: (032) 421-7789 ; 346-1817

### MINDANAO:

REGIONAL OFFICE  
DAVAO

Unit A16 J.King Warehouse Complex  
Km.3 Maa Road, Davao City 8000  
Telefax #: (082) 244-1206 ; 302-2711

✉ inquiry@olympus.com.ph



S.E.A.

**OLYMPUS**  
Marketing, Inc.

www.olympus.com.ph

**Poly Klear**  
FIBERGLASS + RESIN

PERSISTENCE AND DEGRADABILITY: -

BIOACCUMULATIVE POTENTIAL: NORMAL PARAFFINES WILL EVAPORATE FROM WATER SURFACE.

MOBILITY IN SOIL: NORMAL PARAFFINES WILL EVAPORATED FROM SOIL SURFACE.

OTHER ADVERSE EFFECTS: IARC : CLASS 2B FOR COBALT METAL POWDER AND COBALTOUS OXIDE

### 13. DISPOSAL CONSIDERATIONS

METHODS OF DISPOSAL: RECOVER OR RECYCLE WHEN PRACTICAL. OBEY RELEVANT LOCAL, STATE & FEDERAL LAW. DO NOT CONTAMINATE ANY LAKES, STREAMS, PONDS OR UNDERGROUND WATER SUPPLY.

### 14. TRANSPORT INFORMATION

UN NUMBER : NA
UN PROPER SHIPPING NAME : NA
TRANSPORT HAZARD CLASS : NA
PACKING GROUP : -
MARINE POLLUTANT(YES/NO) : NO
SPECIFIC TRANSPORT MEASURES AND PRECAUTIONARY CONDITIONS : -

### 15. REGULATORY INFORMATION

APPLICABLE REGULATIONS: OBSERVE ALL RELEVANT LOCAL, STATE & FEDERAL LAW.

### 16. OTHER INFORMATION

REFERENCES: [www.epa.gov](http://www.epa.gov) - robust summaries of metal carboxylates

MSDS OF NORMAL PARAFFIN

GHS WEBSITE

UN WEBSITE

*SEA Olympus Marketing, Inc. reserves the right to change the information given herein without prior notice. We believe this information to be reliable, but do not guarantee its applicability to the user's process or assume liability for occurrence arising out of its use. The user, by accepting products described herein agrees to be responsible for thoroughly testing any application before committing to production. ©20*

#### LUZON:

REGIONAL OFFICE  
TAGUIG  
1st Avenue, Sta. Maria Industrial Subd,  
Bagumbayan, Taguig City  
Tel.#: (02) 506-8519 ; 837-0710  
837-0708

#### VISAYAS:

HEADQUARTERS  
CEBU  
2F SEA Olympus Building, AC Cortes Ave.  
Trunkline #: (032) 421-7777  
Tel.#: (032) 346-7137 ; 421-7800 to 06  
421-7817 to 18 ; 421-7823  
Fax #: (032) 421-7789 ; 346-1817

#### MINDANAO:

REGIONAL OFFICE  
DAVAO  
Unit A16 J.King Warehouse Complex  
Km.3 Maa Road, Davao City 8000  
Telefax #: (082) 244-1206 ; 302-2711

✉ [inquiry@olympus.com.ph](mailto:inquiry@olympus.com.ph)





S.E.A.  
**OLYMPUS**  
Marketing, Inc.

www.olympus.com.ph

**Poly Klear**  
FIBERGLASS + RESIN

## TECHNICAL DATA SHEET

PRODUCT NAME : POLYKLEAR COBALT CLEAR SPECIAL 6%

### 1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: POLYKLEAR COBALT CLEAR SPECIAL 6%

CHEMICAL FAMILY: METALLIC SOAP; COBALT BASED CARBOXYLATES COMPLEX

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME	CAS NUMBER	TYPICAL Wt. %	OSHA
COBALT 2-ETHYLHEXANOATE BASED METALLIC CARBOXYLATES COMPLEX	136-52-7, 15956-58-8, 3164-85-0, 136-51-6, 19766-89-3, 136-53-8, 1338-14-3, 4454-16-4	63.0	NOT APPLICABLE
NORMAL PARAFFINS	64771-72-8	37.0	

### 3. HAZARDS IDENTIFICATION

HEALTH HAZARDS IRRITATING TO SKIN AND EYES

### 4. FIRST AID MEASURES

INHALATION: IMMEDIATELY REMOVE TO FRESH AIR. ADMINISTERED ARTIFICIAL RESPIRATION IF BREATHING STOP. KEEP AT REST. CALL FOR PROMPT MEDICAL ATTENTION.

SKIN CONTACT: FLASH PROMPTLY WITH SOAP AND LARGE AMOUNT OF WATER.

EYE CONTACT: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IMMEDIATELY.

INGESTION: IF SWALLOWED, **DO NOT** INDUCE VOMITING. GET PROMPT MEDICAL ATTENTION.

### 5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA USE FOAM, DRY CHEMICAL, OR WATER SPRAY TO EXTINGUISH FIRE.

FIRE HAZARDS BURNING MAY PRODUCE CARBON MONOXIDE, CARBON DIOXIDE, COBALT OXIDE, CALCIUM OXIDE, IRON OXIDE, MANGANESE OXIDE, NICKEL OXIDE, POTASSIUM OXIDE, SODIUM OXIDE, ZINC OXIDE AND ZIRCONIUM OXIDE FUME. AVOID BREATHING FUMES FROM FIRE EXPOSED MATERIAL.

### 6. ACCIDENTAL RELEASE MEASURES

IN CASE OF SPILL OR LEAK STOP THE LEAK, IF POSSIBLE. PREVENT WATERWAY AND LAND CONTAMINATION.

CONTAIN SPILLED LIQUID WITH SAND OR EARTH.

RECOVER BY PUMPING (USING AN EXPLOSION PROOF PUMP)

IF WATERWAY AND LAND CONTAMINATION OCCURS,

CONTACT APPROPRIATE AUTHORITIES.

#### LUZON:

REGIONAL OFFICE  
TAGUIG

1st Avenue, Sta. Maria Industrial Subd,  
Bagumbayan, Taguig City  
Tel.#: (02) 506-8519 ; 837-0710  
837-0708

#### VISAYAS:

HEADQUARTERS  
CEBU

2F SEA Olympus Building, AC Cortes Ave.  
Trunkline #: (032) 421-7777  
Tel.#: (032) 346-7137 ; 421-7800 to 06  
421-7817 to 18 ; 421-7823  
Fax #: (032) 421-7789 ; 346-1817

#### MINDANAO:

REGIONAL OFFICE  
DAVAO

Unit A16 J.King Warehouse Complex  
Km.3 Maa Road, Davao City 8000  
Telefax #: (082) 244-1206 ; 302-2711

✉ inquiry@olympus.com.ph





S.E.A.  
**OLYMPUS**  
Marketing, Inc.

www.olympus.com.ph

**Poly Klear**  
FIBERGLASS + RESIN

## 7. HANDLING AND STORAGE

STORAGE: STORE IN A COOL, DRY PLACE.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: VENTILATION SHOULD BE PROVIDED TO CONTROL WORKER EXPOSURE AND PREVENT HEALTH RISK.

PERSONAL PROTECTION: WEAR LONG SLEEVES, CHEMICAL/SOLVENT RESISTANT GLOVES, AND CHEMICAL GOGGLES.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	PURPLE LIQUID
NONVOLATILE MATTER (ASTM D1644A)	58.00% - 68.00%
SPECIFIC GRAVITY (25 °C)	0.910 - 1.010
FLASH POINT	GREATER THAN 162°F/72.0°C

## 10. STABILITY AND REACTIVITY

STABILITY	THIS MATERIAL IS CHEMICALLY STABLE UNDER NORMAL AND ANTICIPATED STORAGE AND HANDLING CONDITIONS.
HAZARDOUS POLYMERIZATION	NO
INCOMPATIBILITY	CAN REACT WITH PEROXIDES AND OTHER OXIDIZING MATERIALS
HAZARDOUS DECOMPOSITION PRODUCT	

## 11. TOXICOLOGICAL INFORMATION

ACUTE	NOT KNOWN
INGESTION	MILD TOXIC
SKIN	LOW ORDER OF TOXICITY
	FREQUENT OR PROLONGED CONTACT MAY CAUSE MILD SKIN DISCOMFORT
EYE	IRRITATING, AND WILL INJURE EYE TISSUE IF NOT REMOVED PROMPTLY
INHALATION	NEGLECTIBLE HAZARD AT AMBIENT TEMPERATURE

## 12. ECOLOGICAL INFORMATION

## 13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL RECOVER, RECLAIM OR RECYCLE WHEN PRACTICAL.

### LUZON:

REGIONAL OFFICE  
TAGUIG  
1st Avenue, Sta. Maria Industrial Subd,  
Bagumbayan, Taguig City  
Tel. #: (02) 506-8519 ; 837-0710  
837-0708

### VISAYAS:

HEADQUARTERS  
CEBU  
2F SEA Olympus Building, AC Cortes Ave.  
Trunkline #: (032) 421-7777  
Tel. #: (032) 346-7137 ; 421-7800 to 06  
421-7817 to 18 ; 421-7823  
Fax #: (032) 421-7789 ; 346-1817

### MINDANAO:

REGIONAL OFFICE  
DAVAO  
Unit A16 J. King Warehouse Complex  
Km. 3 Maa Road, Davao City 8000  
Telefax #: (082) 244-1206 ; 302-2711

✉ inquiry@olympus.com.ph



S.E.A.

**OLYMPUS**  
Marketing, Inc.

www.olympus.com.ph

**Poly Klear®**  
FIBERGLASS + RESIN

#### 14. TRANSPORT INFORMATION

DOT CLASS:

DOT ID NUMBER:

DOT PACK GROUP:

DOT LABEL:

#### 15. REGULATORY INFORMATION

NOT APPLICABLE

#### 16. OTHER INFORMATION

*The facts stated herein are based upon information believed to be accurate, no guarantee is of accuracy and S.E.A Olympus Maarketing assumes no liability. No warranties of merchant-ability fitness of otherwise are created. S.E.A Olympus Marketing is not liable for special incidental and consequential damage.*

#### LUZON:

REGIONAL OFFICE  
TAGUIG

1st Avenue, Sta. Maria Industrial Subd,  
Bagumbayan, Taguig City  
Tel.#: (02) 506-8519 ; 837-0710  
837-0708

#### VISAYAS:

HEADQUARTERS  
CEBU

2F SEA Olympus Building, AC Cortes Ave.  
Trunkline #: (032) 421-7777  
Tel.#: (032) 346-7137 ; 421-7800 to 06  
421-7817 to 18 ; 421-7823  
Fax #: (032) 421-7789 ; 346-1817

#### MINDANAO:

REGIONAL OFFICE  
DAVAO

Unit A16 J.King Warehouse Complex  
Km.3 Maa Road, Davao City 8000  
Telefax #: (082) 244-1206 ; 302-2711

✉ inquiry@olympus.com.ph